



Universal Tool

Air Tools for Industry



UT8766S 7" ANGLE SANDER



FEATURES & SPECIFICATIONS

- 1.7 HP Motor for ultimate stall resistance
- Safety lock-off throttle
- One piece housing reduces maintenance costs
- Heavy duty air cooled spiral gears and double bearings for added reliability
- Ergonomic composite grip for comfort and reduced vibration and dual exhaust silencing for noise control
- Left or right hand assist handle positions
- Best for: Continuous use heavy duty surface preparation and material removal

Model #	Motor (hp)	Motor (Kw)	Pad Dia. (in)	Speed (rpm)	Exhaust	Spindle Size	Weight (lb)	Weight (kg)	Height (in)	Length (in)	Length (mm)	Air Inlet (npt)	Rec. Hose (id. in)	Air Cons. (cfm)	Avg. Air Cons. (cfm)
UT8766S	1.70	1.25	7	7,500	Side	5/8"-11"	6.90	3.10	5.2	12.50	318	3/8"	1/2	28.00	7.00

Recommended Air Pressure of 90 psi - 6.2 bar

Universal Tool, a Division of Florida Pneumatic Manufacturing Corp. • 1660 Silver Beach Road, Suite 100, Lake Park, FL 33403
www.UniversalToolUSA • (800) 356-3392